

STANDARD LED MODULE | 80 LEDs

ARTICLE	MODEL NUMBER	POWER, W	COLOR TEMPERATURE, K	LUMINOUS FLUX, LM	LUMINOUS EFFICACY, LM/W	LENS	BODY COLOR	DIMMING
47000261	OW 085 740 L07 B080 SF DG1	85 W	4000 K	12281 lm	144 lm/W	L07	Silver	DALI
47000260	OW 085 740 L08 B080 SF DG1	85 W	4000 K	12524 lm	147 lm/W	L08	Silver	DALI
47000259	OW 085 740 L10 B080 SF DG1	85 W	4000 K	12646 lm	149 lm/W	L10	Silver	DALI
47000258	OW 085 740 L13 B080 SF DG1	85 W	4000 K	12768 lm	150 lm/W	L13	Silver	DALI
47000257	OW 085 740 L14 B080 SF DG1	85 W	4000 K	12768 lm	150 lm/W	L14	Silver	DALI
47000256	OW 085 740 L15 B080 SF DG1	85 W	4000 K	13133 lm	155 lm/W	L15	Silver	DALI
47000255	OW 085 740 L16 B080 SF DG1	85 W	4000 K	12646 lm	149 lm/W	L16	Silver	DALI
47000254	OW 085 740 L35 B080 SF DG1	85 W	4000 K	11309 lm	133 lm/W	L35	Silver	DALI
47000253	OW 120 740 L07 B080 SF DG1	120 W	4000 K	16678 lm	139 lm/W	L07	Silver	DALI
47000252	OW 120 740 L08 B080 SF DG1	120 W	4000 K	17008 lm	142 lm/W	L08	Silver	DALI
47000251	OW 120 740 L10 B080 SF DG1	120 W	4000 K	17173 lm	143 lm/W	L10	Silver	DALI
47000250	OW 120 740 L13 B080 SF DG1	120 W	4000 K	17338 lm	144 lm/W	L13	Silver	DALI
47000249	OW 120 740 L14 B080 SF DG1	120 W	4000 K	17338 lm	144 lm/W	L14	Silver	DALI
47000248	OW 120 740 L15 B080 SF DG1	120 W	4000 K	17834 lm	149 lm/W	L15	Silver	DALI
47000247	OW 120 740 L16 B080 SF DG1	120 W	4000 K	17173 lm	143 lm/W	L16	Silver	DALI
47000246	OW 120 740 L35 B080 SF DG1	120 W	4000 K	15357 lm	128 lm/W	L35	Silver	DALI
47000245	OW 172 740 L07 B080 SF DG1	172 W	4000 K	22450 lm	131 lm/W	L07	Silver	DALI
47000244	OW 172 740 L08 B080 SF DG1	172 W	4000 K	22894 lm	133 lm/W	L08	Silver	DALI
47000243	OW 172 740 L10 B080 SF DG1	172 W	4000 K	23117 lm	134 lm/W	L10	Silver	DALI
47000242	OW 172 740 L13 B080 SF DG1	172 W	4000 K	23339 lm	136 lm/W	L13	Silver	DALI
47000241	OW 172 740 L14 B080 SF DG1	172 W	4000 K	23339 lm	136 lm/W	L14	Silver	DALI
47000240	OW 172 740 L15 B080 SF DG1	172 W	4000 K	24006 lm	140 lm/W	L15	Silver	DALI
47000239	OW 172 740 L16 B080 SF DG1	172 W	4000 K	23117 lm	134 lm/W	L16	Silver	DALI
47000238	OW 172 740 L35 B080 SF DG1	172 W	4000 K	20672 lm	120 lm/W	L35	Silver	DALI

STANDARD LED MODULE | 96 LEDs

ARTICLE	MODEL NUMBER	POWER, W	COLOR TEMPERATURE, K	LUMINOUS FLUX, LM	LUMINOUS EFFICACY, LM/W	LENS	BODY COLOR	DIMMING
47000278	OW 104 740 L07 B096 SF DG1	104 W	4000 K	14775 lm	142 lm/W	L07	Silver	DALI
47000279	OW 104 740 L08 B096 SF DG1	104 W	4000 K	15067 lm	145 lm/W	L08	Silver	DALI
47000280	OW 104 740 L10 B096 SF DG1	104 W	4000 K	15214 lm	146 lm/W	L10	Silver	DALI
47000281	OW 104 740 L13 B096 SF DG1	104 W	4000 K	15360 lm	148 lm/W	L13	Silver	DALI
47000282	OW 104 740 L14 B096 SF DG1	104 W	4000 K	15360 lm	148 lm/W	L14	Silver	DALI
47000283	OW 104 740 L15 B096 SF DG1	104 W	4000 K	15799 lm	152 lm/W	L15	Silver	DALI
47000284	OW 104 740 L16 B096 SF DG1	104 W	4000 K	15214 lm	146 lm/W	L16	Silver	DALI
47000285	OW 104 740 L35 B096 SF DG1	104 W	4000 K	13605 lm	131 lm/W	L35	Silver	DALI
47000270	OW 150 740 L07 B096 SF DG1	150 W	4000 K	20463 lm	136 lm/W	L07	Silver	DALI
47000271	OW 150 740 L08 B096 SF DG1	150 W	4000 K	20869 lm	139 lm/W	L08	Silver	DALI
47000272	OW 150 740 L10 B096 SF DG1	150 W	4000 K	21071 lm	140 lm/W	L10	Silver	DALI
47000273	OW 150 740 L13 B096 SF DG1	150 W	4000 K	21274 lm	142 lm/W	L13	Silver	DALI
47000274	OW 150 740 L14 B096 SF DG1	150 W	4000 K	21274 lm	142 lm/W	L14	Silver	DALI
47000275	OW 150 740 L15 B096 SF DG1	150 W	4000 K	21881 lm	146 lm/W	L15	Silver	DALI
47000276	OW 150 740 L16 B096 SF DG1	150 W	4000 K	21071 lm	140 lm/W	L16	Silver	DALI
47000277	OW 150 740 L35 B096 SF DG1	150 W	4000 K	18842 lm	126 lm/W	L35	Silver	DALI
47000262	OW 208 740 L07 B096 SF DG1	208 W	4000 K	26920 lm	129 lm/W	L07	Silver	DALI
47000263	OW 208 740 L08 B096 SF DG1	208 W	4000 K	27453 lm	132 lm/W	L08	Silver	DALI
47000264	OW 208 740 L10 B096 SF DG1	208 W	4000 K	27720 lm	133 lm/W	L10	Silver	DALI
47000265	OW 208 740 L13 B096 SF DG1	208 W	4000 K	27986 lm	135 lm/W	L13	Silver	DALI
47000266	OW 208 740 L14 B096 SF DG1	208 W	4000 K	27986 lm	135 lm/W	L14	Silver	DALI
47000267	OW 208 740 L15 B096 SF DG1	208 W	4000 K	28786 lm	138 lm/W	L15	Silver	DALI
47000268	OW 208 740 L16 B096 SF DG1	208 W	4000 K	27720 lm	133 lm/W	L16	Silver	DALI
47000269	OW 208 740 L35 B096 SF DG1	208 W	4000 K	24788 lm	119 lm/W	L35	Silver	DALI

STANDARD LED MODULE | 112 LEDs

ARTICLE	MODEL NUMBER	POWER, W	COLOR TEMPERATURE, K	LUMINOUS FLUX, LM	LUMINOUS EFFICACY, LM/W	LENS	BODY COLOR	DIMMING
47000302	OW 121 740 L07 B112 SF DG1	121 W	4000 K	17276 lm	143 lm/W	L07	Silver	DALI
47000303	OW 121 740 L08 B112 SF DG1	121 W	4000 K	17618 lm	146 lm/W	L08	Silver	DALI
47000304	OW 121 740 L10 B112 SF DG1	121 W	4000 K	17789 lm	147 lm/W	L10	Silver	DALI
47000305	OW 121 740 L13 B112 SF DG1	121 W	4000 K	17960 lm	148 lm/W	L13	Silver	DALI
47000306	OW 121 740 L14 B112 SF DG1	121 W	4000 K	17960 lm	148 lm/W	L14	Silver	DALI
47000307	OW 121 740 L15 B112 SF DG1	121 W	4000 K	18473 lm	153 lm/W	L15	Silver	DALI
47000308	OW 121 740 L16 B112 SF DG1	121 W	4000 K	17789 lm	147 lm/W	L16	Silver	DALI
47000309	OW 121 740 L35 B112 SF DG1	121 W	4000 K	15907 lm	131 lm/W	L35	Silver	DALI
47000294	OW 172 740 L07 B112 SF DG1	172 W	4000 K	23607 lm	137 lm/W	L07	Silver	DALI
47000295	OW 172 740 L08 B112 SF DG1	172 W	4000 K	24075 lm	140 lm/W	L08	Silver	DALI
47000296	OW 172 740 L10 B112 SF DG1	172 W	4000 K	24308 lm	141 lm/W	L10	Silver	DALI
47000297	OW 172 740 L13 B112 SF DG1	172 W	4000 K	24542 lm	143 lm/W	L13	Silver	DALI
47000298	OW 172 740 L14 B112 SF DG1	172 W	4000 K	24542 lm	143 lm/W	L14	Silver	DALI
47000299	OW 172 740 L15 B112 SF DG1	172 W	4000 K	25244 lm	147 lm/W	L15	Silver	DALI
47000300	OW 172 740 L16 B112 SF DG1	172 W	4000 K	24309 lm	141 lm/W	L16	Silver	DALI
47000301	OW 172 740 L35 B112 SF DG1	172 W	4000 K	21738 lm	126 lm/W	L35	Silver	DALI
47000286	OW 242 740 L07 B112 SF DG1	242 W	4000 K	31400 lm	130 lm/W	L07	Silver	DALI
47000287	OW 242 740 L08 B112 SF DG1	242 W	4000 K	32021 lm	132 lm/W	L08	Silver	DALI
47000288	OW 242 740 L10 B112 SF DG1	242 W	4000 K	32332 lm	134 lm/W	L10	Silver	DALI
47000289	OW 242 740 L13 B112 SF DG1	242 W	4000 K	32643 lm	135 lm/W	L13	Silver	DALI
47000290	OW 242 740 L14 B112 SF DG1	242 W	4000 K	32643 lm	135 lm/W	L14	Silver	DALI
47000291	OW 242 740 L15 B112 SF DG1	242 W	4000 K	33576 lm	139 lm/W	L15	Silver	DALI
47000292	OW 242 740 L16 B112 SF DG1	242 W	4000 K	32332 lm	134 lm/W	L16	Silver	DALI
47000293	OW 242 740 L35 B112 SF DG1	242 W	4000 K	28913 lm	119 lm/W	L35	Silver	DALI

STANDARD LED MODULE | 128 LEDs

ARTICLE	MODEL NUMBER	POWER, W	COLOR TEMPERATURE, K	LUMINOUS FLUX, LM	LUMINOUS EFFICACY, LM/W	LENS	BODY COLOR	DIMMING
47000326	OW 140 740 L07 B128 SF DG1	140 W	4000 K	19954 lm	143 lm/W	L07	Silver	DALI
47000327	OW 140 740 L08 B128 SF DG1	140 W	4000 K	20350 lm	145 lm/W	L08	Silver	DALI
47000328	OW 140 740 L10 B128 SF DG1	140 W	4000 K	20547 lm	147 lm/W	L10	Silver	DALI
47000329	OW 140 740 L13 B128 SF DG1	140 W	4000 K	20744 lm	148 lm/W	L13	Silver	DALI
47000330	OW 140 740 L14 B128 SF DG1	140 W	4000 K	20744 lm	148 lm/W	L14	Silver	DALI
47000331	OW 140 740 L15 B128 SF DG1	140 W	4000 K	21337 lm	152 lm/W	L15	Silver	DALI
47000332	OW 140 740 L16 B128 SF DG1	140 W	4000 K	20547 lm	147 lm/W	L16	Silver	DALI
47000333	OW 140 740 L35 B128 SF DG1	140 W	4000 K	18374 lm	131 lm/W	L35	Silver	DALI
47000318	OW 196 740 L07 B128 SF DG1	196 W	4000 K	27006 lm	138 lm/W	L07	Silver	DALI
47000319	OW 196 740 L08 B128 SF DG1	196 W	4000 K	27541 lm	141 lm/W	L08	Silver	DALI
47000320	OW 196 740 L10 B128 SF DG1	196 W	4000 K	27808 lm	142 lm/W	L10	Silver	DALI
47000321	OW 196 740 L13 B128 SF DG1	196 W	4000 K	28076 lm	143 lm/W	L13	Silver	DALI
47000322	OW 196 740 L14 B128 SF DG1	196 W	4000 K	28076 lm	143 lm/W	L14	Silver	DALI
47000323	OW 196 740 L15 B128 SF DG1	196 W	4000 K	28878 lm	147 lm/W	L15	Silver	DALI
47000324	OW 196 740 L16 B128 SF DG1	196 W	4000 K	27808 lm	142 lm/W	L16	Silver	DALI
47000325	OW 196 740 L35 B128 SF DG1	196 W	4000 K	24867 lm	127 lm/W	L35	Silver	DALI
47000310	OW 276 740 L07 B128 SF DG1	276 W	4000 K	35963 lm	130 lm/W	L07	Silver	DALI
47000311	OW 276 740 L08 B128 SF DG1	276 W	4000 K	36675 lm	133 lm/W	L08	Silver	DALI
47000312	OW 276 740 L10 B128 SF DG1	276 W	4000 K	37031 lm	134 lm/W	L10	Silver	DALI
47000313	OW 276 740 L13 B128 SF DG1	276 W	4000 K	37387 lm	135 lm/W	L13	Silver	DALI
47000314	OW 276 740 L14 B128 SF DG1	276 W	4000 K	37387 lm	135 lm/W	L14	Silver	DALI
47000315	OW 276 740 L15 B128 SF DG1	276 W	4000 K	38455 lm	139 lm/W	L15	Silver	DALI
47000316	OW 276 740 L16 B128 SF DG1	276 W	4000 K	37031 lm	134 lm/W	L16	Silver	DALI
47000317	OW 276 740 L35 B128 SF DG1	276 W	4000 K	33114 lm	120 lm/W	L35	Silver	DALI

STANDARD LED MODULE | 144 LEDs

ARTICLE	MODEL NUMBER	POWER, W	COLOR TEMPERATURE, K	LUMINOUS FLUX, LM	LUMINOUS EFFICACY, LM/W	LENS	BODY COLOR	DIMMING
47000350	OW 155 740 L07 B144 SF DG1	155 W	4000 K	19954 lm	143 lm/W	L07	Silver	DALI
47000351	OW 155 740 L08 B144 SF DG1	155 W	4000 K	20350 lm	145 lm/W	L08	Silver	DALI
47000352	OW 155 740 L10 B144 SF DG1	155 W	4000 K	20547 lm	147 lm/W	L10	Silver	DALI
47000353	OW 155 740 L13 B144 SF DG1	155 W	4000 K	20744 lm	148 lm/W	L13	Silver	DALI
47000354	OW 155 740 L14 B144 SF DG1	155 W	4000 K	20744 lm	148 lm/W	L14	Silver	DALI
47000355	OW 155 740 L15 B144 SF DG1	155 W	4000 K	21337 lm	152 lm/W	L15	Silver	DALI
47000356	OW 155 740 L16 B144 SF DG1	155 W	4000 K	20547 lm	147 lm/W	L16	Silver	DALI
47000357	OW 155 740 L35 B144 SF DG1	155 W	4000 K	18374 lm	131 lm/W	L35	Silver	DALI
47000342	OW 220 740 L07 B144 SF DG1	220 W	4000 K	27006 lm	138 lm/W	L07	Silver	DALI
47000343	OW 220 740 L08 B144 SF DG1	220 W	4000 K	27541 lm	141 lm/W	L08	Silver	DALI
47000344	OW 220 740 L10 B144 SF DG1	220 W	4000 K	27808 lm	142 lm/W	L10	Silver	DALI
47000345	OW 220 740 L13 B144 SF DG1	220 W	4000 K	28076 lm	143 lm/W	L13	Silver	DALI
47000346	OW 220 740 L14 B144 SF DG1	220 W	4000 K	28076 lm	143 lm/W	L14	Silver	DALI
47000347	OW 220 740 L15 B144 SF DG1	220 W	4000 K	28878 lm	147 lm/W	L15	Silver	DALI
47000348	OW 220 740 L16 B144 SF DG1	220 W	4000 K	27808 lm	142 lm/W	L16	Silver	DALI
47000349	OW 220 740 L35 B144 SF DG1	220 W	4000 K	24867 lm	127 lm/W	L35	Silver	DALI
47000334	OW 309 740 L07 B144 SF DG1	309 W	4000 K	35963 lm	130 lm/W	L07	Silver	DALI
47000335	OW 309 740 L08 B144 SF DG1	309 W	4000 K	36675 lm	133 lm/W	L08	Silver	DALI
47000336	OW 309 740 L10 B144 SF DG1	309 W	4000 K	37031 lm	134 lm/W	L10	Silver	DALI
47000337	OW 309 740 L13 B144 SF DG1	309 W	4000 K	37387 lm	135 lm/W	L13	Silver	DALI
47000338	OW 309 740 L14 B144 SF DG1	309 W	4000 K	37387 lm	135 lm/W	L14	Silver	DALI
47000339	OW 309 740 L15 B144 SF DG1	309 W	4000 K	38455 lm	139 lm/W	L15	Silver	DALI
47000340	OW 309 740 L16 B144 SF DG1	309 W	4000 K	37031 lm	134 lm/W	L16	Silver	DALI
47000341	OW 309 740 L35 B144 SF DG1	309 W	4000 K	33114 lm	120 lm/W	L35	Silver	DALI

STANDARD LED MODULE | 160 LEDs

ARTICLE	MODEL NUMBER	POWER, W	COLOR TEMPERATURE, K	LUMINOUS FLUX, LM	LUMINOUS EFFICACY, LM/W	LENS	BODY COLOR	DIMMING
47000374	OW 172 740 L07 B160 SF DG1	172 W	4000 K	24816 lm	144 lm/W	L07	Silver	DALI
47000375	OW 172 740 L08 B160 SF DG1	172 W	4000 K	25308 lm	147 lm/W	L08	Silver	DALI
47000376	OW 172 740 L10 B160 SF DG1	172 W	4000 K	25553 lm	149 lm/W	L10	Silver	DALI
47000377	OW 172 740 L13 B160 SF DG1	172 W	4000 K	25799 lm	150 lm/W	L13	Silver	DALI
47000378	OW 172 740 L14 B160 SF DG1	172 W	4000 K	25799 lm	150 lm/W	L14	Silver	DALI
47000379	OW 172 740 L15 B160 SF DG1	172 W	4000 K	26536 lm	154 lm/W	L15	Silver	DALI
47000380	OW 172 740 L16 B160 SF DG1	172 W	4000 K	25553 lm	149 lm/W	L16	Silver	DALI
47000381	OW 172 740 L35 B160 SF DG1	172 W	4000 K	22851 lm	133 lm/W	L35	Silver	DALI
47000366	OW 240 740 L07 B160 SF DG1	240 W	4000 K	33353 lm	139 lm/W	L07	Silver	DALI
47000367	OW 240 740 L08 B160 SF DG1	240 W	4000 K	34013 lm	142 lm/W	L08	Silver	DALI
47000368	OW 240 740 L10 B160 SF DG1	240 W	4000 K	34343 lm	143 lm/W	L10	Silver	DALI
47000369	OW 240 740 L13 B160 SF DG1	240 W	4000 K	34674 lm	144 lm/W	L13	Silver	DALI
47000370	OW 240 740 L14 B160 SF DG1	240 W	4000 K	34674 lm	144 lm/W	L14	Silver	DALI
47000371	OW 240 740 L15 B160 SF DG1	240 W	4000 K	35664 lm	149 lm/W	L15	Silver	DALI
47000372	OW 240 740 L16 B160 SF DG1	240 W	4000 K	34343 lm	143 lm/W	L16	Silver	DALI
47000373	OW 240 740 L35 B160 SF DG1	240 W	4000 K	30711 lm	128 lm/W	L35	Silver	DALI
47000358	OW 340 740 L07 B160 SF DG1	340 W	4000 K	44471 lm	131 lm/W	L07	Silver	DALI
47000359	OW 340 740 L08 B160 SF DG1	340 W	4000 K	45352 lm	133 lm/W	L08	Silver	DALI
47000360	OW 340 740 L10 B160 SF DG1	340 W	4000 K	45792 lm	135 lm/W	L10	Silver	DALI
47000361	OW 340 740 L13 B160 SF DG1	340 W	4000 K	46232 lm	136 lm/W	L13	Silver	DALI
47000362	OW 340 740 L14 B160 SF DG1	340 W	4000 K	46232 lm	136 lm/W	L14	Silver	DALI
47000363	OW 340 740 L15 B160 SF DG1	340 W	4000 K	47553 lm	140 lm/W	L15	Silver	DALI
47000364	OW 340 740 L16 B160 SF DG1	340 W	4000 K	45792 lm	135 lm/W	L16	Silver	DALI
47000234	OW 340 740 L35 B160 SF DG1	340 W	4000 K	40948 lm	120 lm/W	L35	Silver	DALI