

Safety data sheet

Page: 1/13

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 18.09.2020 Version: 6.1

Product: Ultrafuse® PET CF15

(ID no. 11120960/SDS_GEN_00/EN)

Date of print 20.03.2021

1. Identification

Product identifier

Ultrafuse® PET CF15

Recommended use: 3D Printing, for industrial use only

Details of the supplier of the safety data sheet

Company:
BASF 3D Printing Solutions B.V.
Eerste Bokslootweg 17
7821 AT Emmen, Netherlands

Telephone: + 31 591 820 389

E-mail address: sales@basf-3dps.com

Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Eye Dam./Irrit. 2A Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 3

For the classifications not written out in full in this section the full text can be found in section 16.

Date / Revised: 18.09.2020 Version: 6.1

Product: Ultrafuse® PET CF15

(ID no. 11120960/SDS_GEN_00/EN)

Date of print 20.03.2021

Label elements

Globally Harmonized System (GHS)

Pictogram:



Signal Word:

Danger

Hazard Statement:

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

H317 May cause an allergic skin reaction.

H402 Harmful to aquatic life.

Precautionary Statements (Prevention):

P280 Wear protective gloves and eye protection or face protection.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P284 In case of inadequate ventilation wear respiratory protection.

P272 Contaminated work clothing should not be allowed out of the workplace.

P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P333 + P313 If skin irritation or rash occurs: Get medical attention.
Take off contaminated clothing and wash it before reuse.

P337 + P313 If eye irritation persists: Get medical attention.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

Other hazards

According to UN GHS criteria

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Date / Revised: 18.09.2020 Version: 6.1

Product: Ultrafuse® PET CF15

(ID no. 11120960/SDS_GEN_00/EN)

Date of print 20.03.2021

See section 12 - Results of PBT and vPvB assessment.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

Polymer

Hazardous ingredients (GHS)

According to UN GHS criteria

 $benzene\hbox{-}1,2\hbox{:}4,5\hbox{-}tetracarboxylic dianhydride}; benzene\hbox{-}1,2\hbox{:}4,5\hbox{-}tetracarboxylic dianhydride};$

pyromellitic dianhydride

Content (W/W): >= 1 % - <= 10 % Eye Dam./Irrit. 1 CAS Number: 89-32-7 Resp. Sens. 1 EC-Number: 201-898-9 Skin Sens. 1 INDEX-Number: 607-098-00-X H318, H334, H317

Carbon

Content (W/W): >= 10 % - <= 20 %

CAS Number: 7440-44-0 EC-Number: 231-153-3

Glycerol

Content (W/W): >= 0 % - <= 2 %

CAS Number: 56-81-5 EC-Number: 200-289-5

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

If inhaled:

Date / Revised: 18.09.2020 Version: 6.1

Product: Ultrafuse® PET CF15

(ID no. 11120960/SDS_GEN_00/EN)

Date of print 20.03.2021

Remove the affected individual into fresh air and keep the person calm. Assist in breathing if necessary. If symptoms persist, seek medical advice.

On skin contact:

Wash thoroughly with soap and water Burns caused by molten material require hospital treatment. If irritation develops, seek medical attention.

On contact with eyes:

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. If irritation develops, seek medical attention.

On ingestion:

Keep patient calm, remove to fresh air. Immediate medical attention required.

Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

Hazards: No hazard is expected under intended use and appropriate handling.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, foam, dry powder

Special hazards arising from the substance or mixture

carbon oxides

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

Date / Revised: 18.09.2020 Version: 6.1

Product: Ultrafuse® PET CF15

(ID no. 11120960/SDS_GEN_00/EN)

Date of print 20.03.2021

Personal precautions, protective equipment and emergency procedures

No special precautions necessary.

Environmental precautions

Discharge into the environment must be avoided.

Methods and material for containment and cleaning up

For small amounts: Sweep/shovel up.

For large amounts: Sweep/shovel up. Vacuum up spilled product.

Reclaim for processing if possible. Ensure adequate ventilation. Avoid raising dust.

7. Handling and Storage

Precautions for safe handling

Avoid inhalation of dusts/mists/vapours. Ensure adequate ventilation. Provide suitable exhaust ventilation at the drying process and in the area surrounding the melt outlet of processing machines. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Avoid the formation and deposition of dust.

Protection against fire and explosion:

The product is not an oxidizer, not self-combustible and not explosive. Avoid dust formation. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

Conditions for safe storage, including any incompatibilities

Storage stability:

Protect against moisture.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

56-81-5: Glycerol

89-32-7: Benzene-1,2:4,5-tetracarboxylic dianhydride

7440-44-0: Carbon

Exposure controls

Personal protective equipment

Respiratory protection:

Breathing protection if breathable aerosols/dust are formed. Wear respiratory protection if ventilation is inadequate. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Date / Revised: 18.09.2020 Version: 6.1

Product: Ultrafuse® PET CF15

(ID no. 11120960/SDS_GEN_00/EN)

Date of print 20.03.2021

Hand protection:

Use additional heat protection gloves when handling hot molten masses (EN 407), e.g. of textile or leather.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Wear protective clothing to prevent contact during mechanical processing and/or hot melt conditions. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form: filament
Colour: black
Odour: odourless

Odour threshold:

not applicable

pH value:

not applicable

Melting point:

not determined

Boiling point:

not applicable

Flash point:

Flammability:

not applicable

Evaporation rate:

The product is a non-volatile solid. Not a flammable solid according to UN transport regulations division 4.1

and GHS chapter 2.7. Based on the structure or

composition there is no indication of

flammability

Lower explosion limit:

For solids not relevant for classification and labelling.

Upper explosion limit:

For solids not relevant for classification and labelling.

Date / Revised: 18.09.2020 Version: 6.1

Product: Ultrafuse® PET CF15

(ID no. 11120960/SDS_GEN_00/EN)

Date of print 20.03.2021

Ignition temperature:

not applicable

Vapour pressure:

not applicable

Density: 1,4 g/cm3

(25 °C)

Relative density:

No data available.

Relative vapour density (air):

not applicable

Solubility in water: insoluble

Partitioning coefficient n-octanol/water (log Kow):

not applicable

Self ignition: not self-igniting

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Prolonged thermal loading can result in products of degradation being

given off.

Viscosity, dynamic:

not applicable

Viscosity, kinematic:

not applicable, the product is a solid

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

Other information

Self heating ability: It is not a substance capable of

spontaneous heating.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

The product is chemically stable.

Conditions to avoid

Temperature: > 300 °C

Prolonged exposure to elevated temperatures may result in exothermic decomposition accompanied by a pressure build-up in sealed containers. Avoid all sources of ignition: heat, sparks, open flame.

Date / Revised: 18.09.2020 Version: 6.1

Product: Ultrafuse® PET CF15

(ID no. 11120960/SDS_GEN_00/EN)

Date of print 20.03.2021

Incompatible materials

Substances to avoid: oxidizing agents

Hazardous decomposition products

Thermal decomposition products:

Prolonged thermal loading can result in products of degradation being given off.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Contact with molten product may cause thermal burns.

(by inhalation): The inhalation of dusts represents a potential acute hazard.

(dermal):No applicable information available.

Irritation

Assessment of irritating effects:

Eye contact causes irritation.

Experimental/calculated data:

Skin corrosion/irritation: May cause mechanical irritation.

Serious eye damage/irritation: May cause mechanical irritation.

Respiratory/Skin sensitization

Assessment of sensitization:

The substance may cause sensitization of the respiratory tract. Sensitization after skin contact possible.

Germ cell mutagenicity

Assessment of mutagenicity:

The chemical structure does not suggest a specific alert for such an effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Carcinogenicity

Date / Revised: 18.09.2020 Version: 6.1

Product: Ultrafuse® PET CF15

(ID no. 11120960/SDS_GEN_00/EN)

Date of print 20.03.2021

Assessment of carcinogenicity:

The chemical structure does not suggest a specific alert for such an effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Reproductive toxicity

Assessment of reproduction toxicity:

The chemical structure does not suggest a specific alert for such an effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Developmental toxicity

Assessment of teratogenicity:

The chemical structure does not suggest a specific alert for such an effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on available Data, the classification criteria are not met.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Repeated exposure to the substance by dermal administration leads to effects similar to those found after single exposure. Repeated exposure to the substance by inhalative administration leads to effects similar to those found after single exposure. Repeated exposure to the substance by oral administration leads to effects similar to those found after single exposure. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statement has been derived from the properties of the individual components.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

Date / Revised: 18.09.2020 Version: 6.1

Product: Ultrafuse® PET CF15

(ID no. 11120960/SDS_GEN_00/EN)

Date of print 20.03.2021

There is a high probability that the product is not acutely harmful to aquatic organisms.

Persistence and degradability

Assessment biodegradation and elimination (H2O): Experience shows this product to be inert and non-degradable.

Bioaccumulative potential

Assessment bioaccumulation potential:

Accumulation in organisms is not to be expected.

Bioaccumulation potential:

Accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: Study scientifically not justified.

Results of PBT and vPvB assessment

The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

Additional information

Add. remarks environm. fate & pathway:

Due to the consistency of the product, dispersion into the environment is impossible. Therefore no negative effects on the environment may be anticipated based on the present state of knowledge.

13. Disposal Considerations

Waste treatment methods

Dispose of in accordance with national, state and local regulations.

Contaminated packaging:

Dispose of in accordance with national, state and local regulations.

14. Transport Information

Land transport

ADR

Date / Revised: 18.09.2020 Version: 6.1

Product: Ultrafuse® PET CF15

(ID no. 11120960/SDS_GEN_00/EN)

Date of print 20.03.2021

Not classified as a dangerous good under transport regulations

UN number: Not applicable Not applicable UN proper shipping name: Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Not applicable

Special precautions for

user

None known

RID

Not classified as a dangerous good under transport regulations

UN number: Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Not applicable Special precautions for None known

user

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number: Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Not applicable Packing group: Environmental hazards: Not applicable Special precautions for

user:

None known

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number: Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Not applicable Packing group: Environmental hazards: Not applicable None known Special precautions for

user

Date / Revised: 18.09.2020 Version: 6.1

Product: Ultrafuse® PET CF15

(ID no. 11120960/SDS_GEN_00/EN)

Date of print 20.03.2021

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation:
Shipment approved:
Pollution name:
Pollution category:
Not evaluated

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Eye Dam./Irrit. Serious eye damage/eye irritation

Resp. Sens. Respiratory sensitization Skin Sens. Skin sensitization

Aquatic Acute Hazardous to the aquatic environment - acute

H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification

Page: 13/13

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 18.09.2020 Version: 6.1

Product: Ultrafuse® PET CF15

(ID no. 11120960/SDS_GEN_00/EN)

Date of print 20.03.2021

agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.