



SHINING 3D

# EinScan Medixia

All-in-One 3D Scanner Creates for O&P Care: Efficient, Precise, Comfort



Get a quote

# EinScan Medixa

A wireless, all-in-one 3D scanner is designed specifically for orthotics and prosthetics, integrates simplified workflows with onboard processing to eliminate the need for an external computer during scanning. The contact-free, fully digital method empowers O&P clinicians to deliver patient care with greater efficiency, precision, and ease.



## All-in-One Design, Maximum Efficiency

### Lightweight & portable


Easy to carry and use in the clinic or on-site.

### Quick & convenient

Less time spent on the scanning process, improving patient throughput.


### Standalone operation

Integrate scanning, processing, and data export in one device.



# Tailored Software for Orthotics & Prosthetics

- Intuitive, step-by-step interface
- Designed specifically for O&P workflows, streamlining clinical operations.
- Reduces the learning curve for any clinicians without 3D scanning experience
- Reduce appointment times



# Versatile & Personalized



- Cranial
- Face
- Torso
- Upper Limb
- Lower Limb
- Foot

# Contact-Free & Patient-Friendly

## Non-contact technology

Uses white and infrared lights to capture high-quality 3D body models without physical contact.

## Improved patient satisfaction

Non-invasive scanning reduces patient stress, especially for children and elderly patients.



Faster



Cleaner



More comfortable

\*Compared to the traditional plaster casting methods.

# Movement Compensation

Advanced algorithms compensate for slight movement from the patient during scanning, especially when capturing 3D data of infant heads for cranial helmets or torsos affected by breathing.

Systems of Progressive Exercise



# Precision in Every Scan

## High-quality 3D data output

Pre-set scanning parameters deliver accurate 3D models in STL, OBJ, and PLY with minimal post-processing, seamlessly integrating with CAD/CAM and O&P design software.

## Consistency in accuracy

Unlike manual methods requiring multiple measurements, EinScan Medixa ensures precision in one scan.



# Real Texture, Perfect Fit

Equipped with a 5MP texture camera, EinScan Medixa captures both precision geometry, and high-resolution surface textures drawn by clinicians, enabling accurate 3D modeling for customized O&P devices.

# Flexible Integration and Customization

## Smooth data transfer

Support flexible integrate with hospital ordering systems and design portals.

## Customizable features



Tailored clinician workflow



Different Layout



Visual Identity (VI)



Custom LOGO

Contact us for rebranding



# ROI for Orthotics & Prosthetics

Orthotics and prosthetics clinics sought to cut production time and expenses for custom devices, while ensuring greater accuracy and patient comfort.



	Traditional Method	3D Digitizing Method
<b>Method</b>	Plaster casting, tape measure, manual drawings, CAD modeling, milling	Contactless 3D scanning with EinScan Medixa, auto CAD conversion, direct to fabrication
<b>Materials used</b>	Plaster, foam boxes, manual tools	None (fully digital)
<b>Accuracy</b>	Inconsistent, operator-dependent, multiple measurements to take average values	One-time scanning, high-accuracy results
<b>Data archiving</b>	Not good to track	Data documented and to be used to compare in follow-up assessment
<b>Rework rate</b>	15 ~ 20%	< 3%
<b>Patient experience</b>	Messy and traumatic	Clean and comfortable
<b>Time per step (Take cranial for example)</b>	Casting: 30 minutes Measurement: 1 hour CAD design: 3 hours Milling and finishing: 30 minutes	Scanning: 30 seconds Post-processing & CAD: 20 minutes Milling and finishing: 30 minutes
<b>Total time per case</b>	5 hours	1 hour
<b>Patient throughput (per 8h workday)</b>	1.6 patients / day	8 patients / day
<b>Time savings</b>		<b>80% reduction in time</b>
<b>Patient throughput increase</b>		<b>400% increase in capacity</b>

Try ROI Calculator

# TECHNICAL SPECIFICATIONS

## EinScan Medixa

Scan presets	Face, Cranial, Torso, Upper limb, Lower limb, Feet, Socket, Seating, Foam box	
Light source	White light	Infrared VCSEL
Accuracy	RMS* < 0.3	
Working distance	200 ~ 600 mm	160 ~ 1500 mm
FOV	475 x 360 mm	1090 x 1260 mm
Point distance	0.2 ~ 3 mm	
Safety	LED Light (Eye safe)	Class I (Eye safe)
Texture camera resolution	5MP	
Compatible accessory	FootStation 2*	
Alignment	Features, Textures, Markers, Hybrid, Global Markers	
Output formats	STL, OBJ, PLY	
Hardware	CPU: 8 core, 2.4GHz; RAM: 32GB DDR5; Storage: 1T SSD; 6.4"2K AMOLED Touch Screen	
Interface & power source	Wi-Fi 6; USB-C; Battery: 5500mAh × 2; Support USB-C 60W-PD3.0 Charger	
Dimension	(H*D*W) 233 × 180 × 91 mm	
Weight (with batteries)	953 g	

\*RMS (root mean square) is the square root of the average of squared errors, summarizing the typical magnitude of deviation between two datasets.

\*FootStation 2 is not included with EinScan Medixa and needs to be purchased separately for foot scanning.

### SHINING 3D Tech Co., Ltd.

Hangzhou, China  
P: 400-0799-666  
No. 1398, Xiangbin Road, Wenyan,  
Xiaoshan, Hangzhou, Zhejiang,  
China, 311258

### SHINING 3D Technology GmbH.

Stuttgart, Germany  
P: +49-711-28444089  
Breitwiesenstraße 28, 70565, Stuttgart, Germany

Barcelona, Spain  
Calle 27, 10-16, Sector BZ, 08040 Barcelona, Spain

### SHINING 3D (HK) COMPANY LIMITED.

Hong Kong, China  
P: 00852-23348468/23348568  
Room 303A, 3/F, Tower 2, Enterprise Square Phase 1,9  
Sheung Yue Road, Kowloon Bay, Kowloon, Hong Kong

### SHINING 3D Technology Inc.

California, USA  
P: +1415-259-4787  
2450 Alvarado St, Unit 7, San Leandro, CA 94577

Florida, USA  
2807 W Busch Blvd, Suite 200, Tampa, FL 33618

### SHINING 3D Technology Japan Inc.

Tokyo, Japan  
Tradepla Odaiba, 2-3-1 Daiba, Minato-ku, Tokyo



Facebook



Instagram



LinkedIn



YouTube